### Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 100424
Revision Date: 20-06-2017
This document replaces SDS dated: 20-03-2017

Metal Glaze Ultra 16 oz.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier: Metal Glaze Ultra 16 oz.

Stock Number: 100424

Other means of identification:

Synonyms: None Known

1.2 Relevant identified uses of the substance or mixture and uses advised against:

**Relevant identified uses:**Polyester Finishing and Blending Putty **Uses advised against:**Uses other than recommended use.

1.3 Details of the Supplier of the Safety

Data Sheet:

ITW Evercoat

a division of Illinois Tool Works Inc.

6600 Cornell Road Cincinnati, OH 45242

513-489-7600

Telephone number: 513-489-7600

E-mail address:

**1.4 Emergency telephone number:** CHEM TEL: +1-813-248-0591

**Poison Centre contact information:** National Poisons Information Service (NPIS)

Email: director.birmingham.unit@npis.org

Website: http://www.npis.org/

Ireland National Poison Centre, Beaumont Hospital, P.O. Box 1297, Beaumont Road, Dublin 9, Ireland

Members of Public: +353 (01) 809 2166. (8.00 a.m. to 10.00 p.m. 7 days a

week)

Healthcare Professionals: +353 (01) 809 2566 (24 hour service)

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) Carcinogenicity Category 1A

No 1272/2008 [CLP]:

Specific Target Organ Systemic Toxicity (STOT) - Single Exposure Category 1

Specific Target Organ Systemic Toxicity (STOT) - Repeated Exposure Category

1

Skin Corrosion/Irritation Category 2

Serious Eye Damage/Eye Irritation Category 2

Germ Cell Mutagenicity Category 2 Reproductive Toxicity Category 2

### Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 100424
Revision Date: 20-06-2017
This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

Flammable Liquid Category 3

2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008 [CLP]:

Hazard pictograms:





Signal Word: Danger

**Hazard Statements:** H226 - Flammable liquid and vapour

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H361d - Suspected of damaging the unborn child

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure

**Precautionary Statements:** P201 - Obtain special instructions before use.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P233 - Keep container tightly closed.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face

protection.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower.

**Supplemental Hazard information (EU):** EUH208 - Contains Tetrahydrophthalic anhydride. May produce an allergic

reaction.

**2.3 Other hazards:** Reports have associated repeated and prolonged occupational overexposure

to solvents with permanent brain and nervous system damage.

**SECTION 3: Composition/information on ingredients** 

3.1 Substances:

Not applicable

## Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 100424
Revision Date: 20-06-2017
This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

### 3.2 Mixtures:

Chemical Name	%	CAS#	EC No. REACH Registration No.	Classification (EC) No 1272/2008	M Factor	SCL
N,N dimethyl-p- Toluidine	0.1 - 1	99-97-8	210-199-8 204-495-6 202-805-4 210-199-8 204-495-6	Aquatic Chronic 3; H412 Acute Tox. 3 (Dermal); H311 Acute Tox. 3 (Inh Dust/Mist); H331 Acute Tox. 3 (Oral); H301 Carc. 2; H351 STOT RE 2; H373	No data available	No data available
Silica, amorphous	0.1 - 1	7631-86-9	None Known	Carc. 1A; H350 Eye Irrit. 2; H319 STOT RE 1; H372 STOT SE 3; H335, H336	No data available	No data available
Ethylene Glycol phenyl ether	0.1 - 1	122-99-6	204-589-7	Acute Tox. 4 (Oral); H302 Eye Irrit. 2; H319 Repr. 2; H361	No data available	No data available
Tetrahydrophthalic anhydride	0.1 - 1	85-43-8	247-570-9 219-374-3 213-308-7 201-605-4 247-570-9 219-374-3 213-308-7	Aquatic Chronic 3; H412 Eye Dam. 1; H318 Resp. Sens. 1; H334 Skin Sens. 1; H317 EUH208	No data available	No data available
Glass enamel	3 - 7	65997-17-3	None Known	Eye Irrit. 2; H319 STOT SE 3; H335, H336	No data available	No data available
Talc	7 - 15	14807-96-6	None Known	STOT RE 1; H372	No data available	No data available

## Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 100424
Revision Date: 20-06-2017
This document replaces SDS dated: 20-03-2017

## Metal Glaze Ultra 16 oz.

Styrene	7 - 15	100-42-5	202-851-5	Aquatic Acute 1; H400 Asp. Tox. 1; H304 Acute Tox. 4 (Inh Dust/Mist); H332 Carc. 2; H351 Eye Irrit. 2; H319 Flam. Liq. 3; H226 Muta. 2; H341 Repr. 2; H361 Skin Irrit. 2; H315 STOT RE 1; H372 STOT SE 1; H370	No data available	No data available
Calcium carbonate	10 - 30	471-34-1	None Known	Eye Irrit. 2; H319	No data available	No data available
Titanium dioxide	0.5 - 1.5	13463-67-7	None Known		No data available	No data available
Dolomite	0.1 - 1	16389-88-1	None Known		No data available	No data available
Paraffin Wax	0.1 - 1	8002-74-2	None Known	Eye Irrit. 2; H319 STOT SE 3; H335, H336	No data available	No data available
Crystalline Silica (Quartz)	< 0.1	14808-60-7	None Known	Acute Tox. 4 (Oral); H302 Carc. 1A; H350 STOT RE 1; H372 STOT SE 1; H370	No data available	No data available
Aluminum oxide	< 0.1	1344-28-1	None Known		No data available	No data available
Acetone	< 0.1	67-64-1	200-662-2	Eye Irrit. 2; H319 Flam. Liq. 2; H225 Repr. 2; H361 STOT RE 2; H373 STOT SE 3; H335, H336 EUH066	No data available	No data available

### Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 100424
Revision Date: 20-06-2017
This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

Limestone	< 0.1	471-34-1	None Known	Eye Irrit. 2; H319	No data available	No data available
Diacetone alcohol	< 0.1			Eye Irrit. 2; H319 Repr. 2; H361 Skin Irrit. 2; H315 STOT RE 1; H372 STOT SE 2; H371	No data available	EYE IRRIT. 2: 10%
Carbon black	< 0.01	1333-86-4	None Known	Carc. 2; H351 STOT SE 3; H335, H336	No data available	No data available
p-Toluidene	idene < 0.01 106-		208-741-3 208-740-8 203-403-1 208-741-3 208-740-8	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Acute Tox. 3 (Dermal); H311 Acute Tox. 3 (Inh Dust/Mist); H331 Acute Tox. 3 (Oral); H301 Carc. 2; H351 Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317 STOT RE 1; H372 STOT SE 1; H370 EUH208	No data available	No data available

For full text of H-statements see Section 16.

### SECTION 4: First aid measures

4.1 Description o	f first aid measures:
Inhalation:	

Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately If the victim has stopped breathing open airway, loosen collar and belt, and

administer artificial respiration. Keep the victim warm and quiet.

**Eye contact:** Flush eyes with plenty of water for at least 20 minutes retracting eyelids

often. Tilt the head to prevent chemical from transferring to the  $% \left( 1\right) =\left( 1\right) \left( 1\right) \left$ 

uncontaminated eye. Get immediate medical attention.

**Skin Contact:** Wash with soap and water. Get medical attention if irritation develops or

### Prepared in accordance with Commission Regulation (EU) 2015/830



**Stock Number:** 100424 **Revision Date:** 20-06-2017

This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

persists. Wash clothing before reuse. Remove contaminated clothing and

continue flushing with water.

**Ingestion:** Do not induce vomiting and seek medical attention immediately. Drink two

glasses of water or milk to dilute. Provide medical care provider with this SDS. If possible, do not leave individual unattended. If individual is drowsy or unconscious, do not give anything by mouth; place individual on left side

with head down.

**Self protection of the first aider:**No data available

4.2 Most important symptoms and effects, both acute and delayed:

Causes skin irritation. Causes serious eye irritation. Suspected of damaging the unborn child Causes damage to organs. Causes damage to organs

through prolonged or repeated exposure.

4.3 Indication of any immediate medical attention and special treatment needed:

IF exposed or concerned: Call a POISON CENTER/doctor.

### SECTION 5: Firefighting measures

5.1 Extinguishing media:

**Suitable extinguishing media:** Use alcohol resistant foam, carbon dioxide, or dry chemical extinguishing

agents. Water may be ineffective but water spray can be used extinguish a fire if swept across the base of the flames. Water can absorb heat and keep

exposed material from being damaged by fire. Regular foam

Unsuitable extinguishing media: No data available

**5.2 Special hazards arising from the** Va

substance or mixture:

Vapours may be ignited by sparks, flames or other sources of ignition if material is above the flash point giving rise to a fire (Class B). vapours are heavier than air and may travel to a source of ignition and flash back.

**Hazardous Combustion Products:** Carbon dioxide, Carbon monoxide, Styrene oxide, Hydrocarbons

**5.3 Advice for firefighters:** Do not enter fire area without proper protection including self-contained

breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapours and decomposition products. Wear a self contained breathing apparatus (NIOSH approved) with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when

exposed to extreme heat.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

**Non-emergency personnel:** Non-emergency personnel should be kept clear of the area.

### Prepared in accordance with Commission Regulation (EU) 2015/830



**Stock Number:** 100424 **Revision Date:** 20-06-2017

This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

**Emergency responders:** No health affects expected from the clean-up of this material if contact can

be avoided. Follow personal protective equipment recommendations found

in Section 8 of this SDS

**6.2 Environmental precautions:** No data available

6.3 Methods and material for containment and cleaning up:

Small spills: Refer to information provided for large spills

**Large spills:** No special spill clean-up considerations. Collect and discard in regular trash.

Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container. Avoid breathing vapors. All personnel in the area should be protected as in Section 8. Activate available exhaust ventilation equipment in the immediate spill area. Shut off ignition sources; including electrical

equipment and flames. Do not allow smoking in the area.

**6.4 Reference to other sections:** Refer to section 13 for disposal information

### **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling:** Mildly irritating material. Avoid unnecessary exposure. Keep out of the reach

of children. Keep container closed when not in use. Do not take internally. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Use with adequate ventilation Wash hands before eating Do not get in eyes, on skin and clothing All hazard precautions given in

the data sheet must be observed.

7.2 Conditions for safe storage, including any incompatibilities:

**Conditions for safe storage:** Store in a cool dry ventilated location. Isolate from incompatible materials

and conditions. Keep container(s) closed. Avoid contact with incompatible materials. Store in a tightly closed container Keep away from heat, sparks, and flame For maximum product quality, avoid prolonged storage at

temperatures above 75 °F (25 °C).

Materials to Avoid/Chemical

Incompatibility:

Peroxides, Strong acids, Strong oxidizing agents, Polymerization catalysts

**7.3 Specific end use(s):** Polyester Finishing and Blending Putty

#### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters:

Occupational Exposure limit values:

	United Kingdom -	United Kingdom -	United Kingdom -
Chemical Name	Workplace Exposure	Workplace Exposure	Biological Monitoring
	Limits (WELs) - TWAs	Limits (WELs) - STELs	Guidance Values

## Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 100424
Revision Date: 20-06-2017
This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

	10 mg/m3 TWA	30 mg/m3 STEL	No data available
	(inhalable dust); 4	(calculated, inhalable	INO Uata avallable
Calcium carbonate	mg/m3 TWA	dust); 12 mg/m3 STEL	
		, ,	
	(respirable dust)	(calculated, respirable	
	100 TMA 420	dust)	No dete contlete
Styrene	100 ppm TWA; 430	250 ppm STEL; 1080	No data available
	mg/m3 TWA	mg/m3 STEL	
Talc	1 mg/m3 TWA	3 mg/m3 STEL	No data available
	(respirable dust)	(calculated, respirable	
		dust)	
Glass enamel	No data available	No data available	No data available
	10 mg/m3 TWA (total	30 mg/m3 STEL	No data available
T111 1 1 -	inhalable); 4 mg/m3	(calculated, total	
Titanium dioxide	TWA (respirable)	inhalable); 12 mg/m3	
		STEL (calculated,	
		respirable)	
Dolomite	No data available	No data available	No data available
Cilian and make and	No data available	No dete essellable	No dete essellable
Silica, amorphous	No data available	No data available	No data available
Paraffin Wax	No data available	No data available	No data available
0. 1.11 (0 1.)	Nicolate a Platia	Nie Ister Piete	NI. I.I
Crystalline Silica (Quartz)	No data available	No data available	No data available
Aluminum oxide	No data available	No data available	No data available
Acetone	No data available	No data available	No data available
Limestone	No data available	No data available	No data available
		3.2.1.2.3.4.1.4.1.0	
Diacetone alcohol	No data available	No data available	No data available
Carbon black	No data available	No data available	No data available
Cal DUIT DIACK	INO data avallable	INO UATA AVAIIADIE	NO Uata avaliable
p-Toluidene	No data available	No data available	No data available
'			

**DNEL:**No data available **PNEC:**No data available

8.2 Exposure controls:

**Appropriate engineering controls:** No exposure limits exist for the constituents of this product. Use local

exhaust ventilation or other engineering controls to minimize exposures and

maintain operator comfort.

### Prepared in accordance with Commission Regulation (EU) 2015/830



**Stock Number:** 100424 **Revision Date:** 20-06-2017

This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

### Individual protection measures, such as personal protective equipment:

**Eye and face protection:** Wear chemically resistant safety glasses with side shields when handling this

product. Do not wear contact lenses. Splash proof chemical goggles are

recommended to protect against the splash of product.

**Skin Protection:** 

**Hand protection:** Protective gloves are recommended when prolonged skin contact cannot be

avoided.

**Other skin protection:** Not normally considered a skin hazard. Where use can result in skin contact,

practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. To prevent repeated or prolonged skin contact, wear impervious clothing and boots Gloves should be made of neoprene or natural rubber. Protective gloves and

proper clothing should be worn to prevent skin contact.

**Respiratory Protection:** Respiratory protection may be required to avoid overexposure when

handling this product. General or local exhaust ventilation is the preferred means of protection. Use a respirator if general room ventilation is not available or sufficient to eliminate symptoms. Use a NIOSH approved

respirator designed to remove particulate matter and organic solvent vapors.

Thermal Hazards: No data available

**Environmental exposure controls:**No data available

#### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties:

Appearance: Liquid
Colour: Green
Odour: Aromatic

Odour threshold: No data available

pH: Neutral

Melting Point/Freezing Point (°F):

Melting point (°F):No data availableFreezing point (°F):No data available

Initial boiling point and boiling range (°C): 145

Flash point (°F): 31.6

**Evapouration Rate (water = 1):** No data available

### Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 100424 Revision Date: 20-06-2017 This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

Flammability (solid, gas): No data available

Upper/lower flammability or explosive

limits:

Upper flammable or explosive limit, %

in air:

Lower flammable or explosive limit, %

in air:

1.1

6.1

Vapour pressure: No data available

Vapour Density (Air=1): Heavier than air. Vapours that evolve from this product will tend to settle

and accumulate near the floor.

0.96 Relative density (water = 1): Solubility(ies): Insoluble Partition coefficient: n-octanol/water: 1.36

Auto-ignition temperature (°C): No data available No data available **Decomposition temperature (°C):** Viscosity (B-type viscometer @ 60 rpm): 32,000 - 40,000

**Explosive properties:** No data available **Oxidizing properties:** No data available

9.2 Other information:

**Volatile Organic Chemicals:** 20 - 25 %

VOC (as packaged-less exempts and

water):

1.67 lbs/gal or 200 g/L

VOC (as applied\*- 2% by wt hardener-

less exempts and water):

0.5 lbs/gal or 5 g/L

Percent Solids by weight - as packaged

(%):

79.6

2% by wt hardener (%):

Percent Solids by weight - as applied\* -

VHAP Content by weight – as packaged

21 %

99.4

(%):

VHAP Content by weight - as applied\* -

2% by weight hardener (%):

6.2 %

**Bulk density:** 8

SECTION 10: Stability and reactivity

10.1 Reactivity: Not expected to be reactive

### Prepared in accordance with Commission Regulation (EU) 2015/830



 Stock Number:
 100424

 Revision Date:
 20-06-2017

This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

**10.2 Chemical stability:**Stable under normal handling conditions

**10.3 Possibility of hazardous reactions:** None expected under standard conditions of storage

**10.4 Conditions to avoid:** Contamination

**10.5 Incompatible materials:** Peroxides, Strong acids, Strong oxidizing agents, Polymerization catalysts

**10.6 Hazardous decomposition products:** Carbon dioxide, Carbon monoxide, Styrene oxide, Hydrocarbons

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects:

#### Acute toxicity:

Chemical Name	ORAL LD50 (rat)	DERMAL LD50 (rabbit)	INHALATION LC50 (rat)	
Styrene	No data available	No data available	INHALATION LC50-4H Rat 11.7 MG/L	

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation:

pH Neutral	
------------	--

Classification is based on pH and the components listed in Section 3.

Serious eve damage/irritation:

الما	Moutral
l DH	MENTRAL
Pii	Noutrai

Classification is based on pH and the components listed in Section 3.

#### Respiratory or skin sensitisation:

EUH208 - Contains Tetrahydrophthalic anhydride. May produce an allergic reaction.

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity:

Classification has been based on toxicological information of the components in Section 3.

#### Carcinogenicity:

Classification has been based on toxicological information of the components in Section 3.

#### Reproductive toxicity:

Classification has been based on toxicological information of the components in Section 3.

#### STOT-single exposure:

Classification has been based on toxicological information of the components in Section 3.

### Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 100424
Revision Date: 20-06-2017
This document replaces SDS dated: 20-03-2017

Metal Glaze Ultra 16 oz.

#### **STOT-repeated exposure:**

Classification has been based on toxicological information of the components in Section 3.

### **Aspiration hazard:**

Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

12.1 Toxicity:

Styrene is toxic to aquatic organisms and should not be released to sewage, draining systems or any body of water exceeding concentrations of approved

limits under applicable regulations and permits.

Very toxic to aquatic life.

### **Ecological Toxicity Data:**

Chemical Name	CAS#	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
Styrene	100-42-5	48 HR EC50 DAPHNIA MAGNA 3.3 - 7.4 MG/L	96 HR EC50 PSEUDOKIRCHNERIE LLA SUBCAPITATA 0.15 - 3.2 MG/L [STATIC] 72 HR EC50 PSEUDOKIRCHNERIE LLA SUBCAPITATA 0.46 - 4.3 MG/L [STATIC] 96 HR EC50 PSEUDOKIRCHNERIE LLA SUBCAPITATA 0.72 MG/L 72 HR EC50 PSEUDOKIRCHNERIE LLA SUBCAPITATA 1.4 MG/L	96 HR LC50 POECILIA RETICULATA 58.75 - 95.32 MG/L [STATIC] 96 HR LC50 PIMEPHALES PROMELAS 6.75 - 14.5 MG/L [STATIC] 96 HR LC50 LEPOMIS MACROCHIRUS 19.03 - 33.53 MG/L [STATIC] 96 HR LC50 PIMEPHALES PROMELAS 3.24 - 4.99 MG/L [FLOW-THROUGH]
Talc	14807-96-6		No data available	96 HR LC50 BRACHYDANIO RERIO > 100 G/L [SEMI-STATIC]

**12.2 Persistence and degradability:** No data

**12.3 Bioaccumulative potential:** No data available

### Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 100424 Revision Date: 20-06-2017

This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

12.4 Mobility in soil: No data available12.5 Results of PBT and vPvB assessment: No data available

12.6 Other adverse effects: No data available12.7 Additional information: No data available

### SECTION 13: Disposal considerations

13.1 Waste treatment methods:

**Disposal methods:** Spent or discarded material is a hazardous waste.

Waste codes / waste designations 08 01 11 - waste paint and varnish containing organic solvents or other

according to LoW: dangerous substances

### **SECTION 14: Transport information**

International carriage of dangerous goods by road (ADR), rail or inland waterways:

**14.1. UN number**: UN3269

14.2. UN proper shipping name:

**14.3. Transport hazard class(es):** 3 **14.4. Packing group:** III

International carriage of dangerous goods by sea (IMDG/IMO):

**14.1. UN number**: UN3269

**14.2. UN proper shipping name:** POLYESTER RESIN KIT

**14.3. Transport hazard class(es):** 3 **14.4. Packing group:** |||

International carriage of dangerous goods by air (IATA):

**14.1. UN number:** UN3269

14.2. UN proper shipping name:

14.3. Transport hazard class(es): 3
14.4. Packing group: ||||

**14.5. Environmental hazards:** Yes

14.6. Special precautions for user: No data available14.7 Transport in bulk according to Annex No data available

II of MARPOL and the IBC Code:

### SECTION 15: Regulatory information

## Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 100424
Revision Date: 20-06-2017

This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Chemical Name	EINECS	SVHC
Calcium carbonate	Yes	No
Styrene	Yes	No
Talc	Yes	No
Glass enamel	Yes	No
Tetrahydrophthalic anhydride	Yes	No
Ethylene Glycol phenyl ether	Yes	No
Silica, amorphous	Yes	No
N,N dimethyl-p-Toluidine	Yes	No
Paraffin Wax	Yes	No
Crystalline Silica (Quartz)	Yes	No
Acetone	Yes	No
Limestone	Yes	No
1, 4 Benzenediol, 2,3,5-Trimethyl-	Yes	No
Diacetone alcohol	Yes	No
Non-Ionic Surfactant	Not listed on the EINECS inventory	No
Zirconium Oxide	Yes	No
Pigment Green 7	Yes	No
Carbon black	Yes	No
Bentonite	Yes	No
Styrene Oxide	Yes	No
p-Toluidene	Yes	No

**15.2 Chemical Safety Assessment**No Chemical Safety Assessment has been carried out for this

substance/mixture by the supplier.

ς	F	CT	IO	N	16	۲٠	Oi	the	٦r	in	fo	rm	at	hin	n
u	_	O I	ıv	ıv		, ,	$\mathbf{v}$		-		ıv		ш		

**Revision Date**: 20-06-2017

## Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 100424
Revision Date: 20-06-2017
This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

Abbreviations and acronyms:	No data available
Key literature references and sources for	No data available

data:

Hazard phrase(s) referenced in section 3 H225 - Highly flammable liquid and vapour

H226 - Flammable liquid and vapour

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H304 - May be fatal if swallowed and enters airways

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H312 - Harmful in contact with skin

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H319 - Causes serious eye irritation

H331 - Toxic if inhaled

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if

inhaled

H335 - May cause respiratory irritation

H341 - Suspected of causing genetic defects

H350 - May cause cancer

H351 - Suspected of causing cancer

H360 - May damage fertility or the unborn child

H361 - Suspected of damaging fertility or the unborn child

H371 - May cause damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure

H373 - May cause damage to organs through prolonged or repeated

exposure

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H412 - Harmful to aquatic life with long lasting effects

**Precautionary Statements:** 

**Prevention:** P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and

### Prepared in accordance with Commission Regulation (EU) 2015/830



Response:

Storage:

Stock Number: 100424
Revision Date: 20-06-2017
This document replaces SDS dated: 20-03-2017

Metal Glaze Ultra 16 oz.

understood.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P233 - Keep container tightly closed.

P240 - Ground/bond container and receiving equipment.

P241 - Use explosion-proof electrical/ventilating/lightingequipment.

P242 - Use only non-sparking tools.

P243 - Take precautionary measures against static discharge.

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P264 - Wash with soap and water thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

 ${\tt P280-Wear\ protective\ gloves/protective\ clothing/eye\ protection/face}$ 

protection.

P302+P352 - If on skin: Wash with plenty of soap and water.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all

contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308+P311 - IF exposed or concerned: Call a POISON CENTER/doctor.

P321 - Specific treatment (see Sections 4 to 8 on the SDS and any additional information on the label)

information on the label).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P370+P378 - In case of fire: Use an approprate extinguisher (see section 5) to

extinguish.

P233 - Keep container tightly closed.

P403+P235 - Store in a well-ventilated place. Keep cool.

P405 - Store locked up.

**Disposal:** P501 - Dispose of contents in accordance with your local disposal company

along with national/international regulations.

**Disclaimer of Liability:** IMPORTANT: WHILE THE DESCRIPTIONS, DATA AND INFORMATION

CONTAINED HEREIN ARE PRESENTED IN GOOD FAITH AND BELIEVED TO BE ACCURATE, IT IS PROVIDED FOR YOUR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, WE RECOMMEND THAT YOU PERFORM AN ASSESSMENT TO DETERMINE THE SUITABILITY OF A PRODUCT FOR YOUR PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES

Page 16 of 17

### Prepared in accordance with Commission Regulation (EU) 2015/830



Stock Number: 100424 Revision Date: 20-06-2017

This document replaces SDS dated: 20-03-2017

### Metal Glaze Ultra 16 oz.

OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED, DATA OR INFORMATION SET FORTH. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION,OR DATA PROVIDED BE CONSIDERED A PART OF OUR TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DATA AND INFORMATION FURNISHED HEREUNDER ARE GIVEN GRATIS. NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DATA AND INFORMATION GIVEN ARE ASSUMED. ALL SUCH BEING GIVEN AND ACCEPTED AT YOUR RISK.