

# Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 16-09-2016

Revision Number 10

**Auto Magic**  
Professional Car Care®

## SECTION 1 Identification of the substance/mixture and of the company/undertaking

---

<b>1.1 Product identifier</b>	502555 Wheel Magic 55 Gal
<b>1.2 Relevant identified uses of the substance or mixture and uses advised against</b>	Wheel Cleaner
<b>1.3 Details of the supplier of the safety data sheet</b>	ITW Evercoat a division of Illinois Tool Works Inc. 1275 Round Table Drive Dallas, TX 75247
<b>1.4 Emergency telephone number</b>	CHEM TEL: +1-813-248-0591

## SECTION 2 Hazards identification

---

### 2.1 Classification of the substance or mixture

<b>Classified in accordance to (EC) No. 1272/2008</b>	Skin Corrosion/Irritation Category 1A Serious Eye Damage/Eye Irritation Category 2
---	---

### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 [CLP]

Hazard pictograms



**Signal Word** Danger

**Hazard Statements** H314 - Causes severe skin burns and eye damage.

H319 - Causes serious eye irritation.

**Precautionary Statements**

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce

# Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 16-09-2016

Revision Number 10

vomiting.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

**Supplemental Hazard information (EU)** No data available

**2.3 Other hazards** No data available

## SECTION 3 Composition/information on ingredients

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Chemical Name	%	CAS #	(EC) No 1272/2008	M Factor	SCL
Sodium hydroxide	3 - 7	1310-73-2	Eye Dam. 1; H318 Skin Corr. 1A; H314	No data available	SKIN CORR. 1A: 5% SKIN CORR. 1B: 2%<2% SKIN IRRIT. 2: 0.5%<2% EYE IRRIT. 2: 0.5%<2%
2-propanol-1-butoxy ether	1 - 5	5131-66-8	Eye Irrit. 2; H319 Skin Irrit. 2; H315	No data available	No data available
Tetrasodium Ethylenediamine Tetraacetate	0.5 - 1.5	64-02-8	Acute Tox. 4; H302 Eye Dam. 1; H318	No data available	No data available
Diethanolamine	0.5 - 1.5	111-42-2	Acute Tox. 4; H302 Eye Dam. 1; H318 Skin Irrit. 2; H315 STOT RE 2; H373	No data available	No data available

For full text of H-statements; See Section 16

## SECTION 4 First aid measures

### 4.1 Description of first aid measures

**Inhalation** Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately No data available

**Eye Contact** Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. This corrosive material can cause immediate and permanent eye damage. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. No data available

# Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 16-09-2016

Revision Number 10

<b>Skin Contact</b>	Wash with soap and water under a drench shower. Remove contaminated clothing, launder immediately, and discard contaminated leather goods. Get medical attention immediately. No data available
<b>Ingestion</b>	Corrosive. Do not induce vomiting! Drink one glass of water followed by milk if available. Seek medical attention immediately and give the medical care provider with this MSDS. No data available
<b>Self protection of the first aider</b>	No data available

## 4.2 Most important symptoms and effects, both acute and delayed

**Symptom** See Section 4.1

## 4.3 Indication of any immediate medical attention and special treatment needed

**Note to Doctor** No additional first aid information available

## SECTION 5 Firefighting measures

---

### 5.1 Extinguishing media

**Suitable extinguishing media** Use alcohol resistant foam, carbon dioxide, or dry chemical when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the surface of the fire. Do Not direct a stream of water into the hot burning liquid.

**Unsuitable extinguishing media** No data available

### 5.2 Special hazards arising from the substance or mixture

**Fire and/or Explosion Hazards** Material may be ignited only if preheated to temperatures above the high flash point, for example in a fire.

**Hazardous Combustion Products** Carbon dioxide, Carbon monoxide

### 5.3 Advice for firefighters

**Fire Fighting Methods and Protection** Do not enter fire area without proper protection including self-contained breathing apparatus and full protective equipment. Use methods for the surrounding fire.

## SECTION 6 Accidental release measures

---

### 6.1 Personal precautions, protective equipment and emergency procedures

**For Non-emergency Personnel** Non-emergency personnel should be kept clear of the area.

**For emergency responders** Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by

# Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 16-09-2016

Revision Number 10

the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

## 6.2 Environmental precautions

No data available

## 6.3 Methods and material for containment and cleaning up

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section VIII at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation. Ensure clean-up measures are in compliance with OSHA (29 CFR 1910.120).

## 6.4 Reference to other sections

Refer to section 13 for disposal information.

## SECTION 7 Handling and storage

---

### 7.1 Precautions for safe handling

Toxic or severely irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. No special handling requirements

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool dry place. Isolate from incompatible materials. No special storage requirements

### 7.3 Specific end use(s)

Wheel Cleaner

## SECTION 8 Exposure controls/personal protection

---

### Occupational Exposure limit values

Chemical Name	ACGIH TLV-TWA	ACGIH STEL	IDLH
Sodium hydroxide	2 mg/m <sup>3</sup>	No data available	No data available
Diethanolamine	2 mg/m <sup>3</sup>	No data available	No data available

### 8.2 Exposure controls

#### Appropriate engineering controls

Local exhaust ventilation, process enclosures, or other engineering controls are necessary when handling or using this product to avoid overexposure.

#### Individual protection measures, such as personal protective equipment

##### Eye and face protection

Wear chemical splash goggles when handling this product. Additionally, wear a face shield when the possibility of splashing of liquid exists. Do not wear contact lenses. Have an eye wash station available. Wear goggles and a Face shield

##### Skin Protection

###### Hand protection

No information available

###### Other skin protection

Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at

# Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 16-09-2016

Revision Number 10

regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

## Respiratory Protection

Respiratory protection must be used when handling this product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. A supplied air type respirator may be required. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved respirator if any exposure is possible.

## Thermal hazards

No data available

## Environmental exposure controls

No data available

## SECTION 9 Physical and chemical properties

---

### 9.1 Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Aromatic
Odour Threshold	No data available
pH	>12.5
Initial boiling point and boiling range (°C)	100
Flash Point (°C)	100
Evaporation Rate	No data available
Flammability (Solid, gas)	No data available
Upper/lower flammability or explosive limits	
Upper Flammable/Explosive Limit, % in air	No data available
Lower Flammable/Explosive Limit, % in air	No data available
Vapour Pressure	No data available
Vapour Density	No data available
Relative Density	No data available
Solubility(ies)	Complete; 100%
Partition coefficient: n-octanol/water	No data available
Decomposition Temperature	No data available
Viscosity	352
Explosive properties	No data available
Oxidizing properties	No data available

# Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 16-09-2016

Revision Number 10

**9.2 Other information** No data available

## SECTION 10 Stability and reactivity

---

**10.1 Reactivity** No data available

**10.2 Chemical stability** Stable under normal conditions.

**10.3 Possibility of hazardous reactions** No data available

**10.4 Conditions to avoid** Contact with water  
Contamination

**10.5 Incompatible materials** Strong oxidizing agents; Acids; Metals; Water; Organic halides; Copper; Copper alloys; Strong acids; Metals (ferrous)

**10.6 Hazardous decomposition products** None Known

## SECTION 11 Toxicological information

---

### 11.1 Information on toxicological effects

#### Acute Toxicity

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

pH	>12.5
----	-------

Classification is based on pH and the components listed in Section 3.

#### Serious eye damage/irritation

pH	>12.5
----	-------

Classification is based on pH and the components listed in Section 3.

#### Respiratory or skin sensitization

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

# Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 16-09-2016

Revision Number 10

Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## SECTION 12 Ecological information

---

**12.1 Toxicity** No data available

### Ecotoxicity Data

Chemical Name	CAS Number	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish
No data available				

**12.2 Persistence and degradability** No data available

**12.3 Bioaccumulative potential** No data

**12.4 Mobility in soil** No data available

**12.5 Results of PBT and vPvB assessment** No data available

**12.6 Other adverse effects** No data available

**12.7 Additional information** No data available

## SECTION 13 Disposal considerations

---

### 13.1 Waste treatment methods

**Waste Description for Spent Product** Spent or discarded material is not expected to be a hazardous waste.

**Disposal Methods** Dispose of in a landfill. Disposal is not likely to be regulated.

**Waste Disposal Code(s) (European Waste Catalogue)** No data available

## SECTION 14 Transport information

---

### Ground:

**14.1 UN number:** UN1719

**14.2 UN proper shipping name:**

**14.3 Transport hazard class(es):** 8

**14.4 Packing group:** III

### Air:

# Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 16-09-2016

Revision Number 10

14.1 UN number: UN1719

14.2 UN proper shipping name:

14.3 Transport hazard class(es): 8

14.4 Packing group: III

## Water:

14.1 UN number: UN1719

14.2 UN proper shipping name:

14.3 Transport hazard class(es): 8

14.4 Packing group: III

14.5 Environmental hazards: No data available

14.6 Special precautions for user: No data available

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code: No data available

## SECTION 15 Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	EINECS	SVHC
Sodium hydroxide	Y	N
2-propanol-1-butoxy ether	Y	N
Tetrasodium Ethylenediamine Tetraacetate	Y	N
Diethanolamine	Y	N

15.2 Chemical safety assessment No data available

## SECTION 16 Other information

SDS Abbreviations: No data available

References: No data available

**Hazard phrase(s) referenced in section 3**

- H225 - Highly flammable liquid and vapour.
- H302 - Harmful if swallowed.
- H314 - Causes severe skin burns and eye damage.
- H315 - Causes skin irritation.
- H318 - Causes serious eye damage.
- H319 - Causes serious eye irritation.
- H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary



# Safety Data Sheet

Prepared in accordance with Commission Regulation (EU) 2015/830

Revision Date 16-09-2016

Revision Number 10

## Statements

### Prevention

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.  
P264 - Wash thoroughly after handling.  
P280 - Wear protective gloves/protective clothing/eye protection/face protection.

### Response

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 - IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.  
P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 - Immediately call a poison center/doctor/....  
P314 - Get medical advice/attention if you feel unwell.  
P321 - Specific treatment (see on this label).  
P337+P313 - If eye irritation persists: Get medical advice/attention.  
P363 - Wash contaminated clothing before reuse.

### Storage

P405 - Store locked up.

### Disposal

P501 - Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances