

# Safety Data Sheet

Product Name: Water Spot Remover 5 Gallon

Product identifier: 600-5

Revision Date: 08-19-2016

Replaces:

# Auto Magic

Professional Car Care<sup>®</sup>

## 1. Identification

Product identifier used on the label:

Product Name: Water Spot Remover 5 Gallon

Product identifier: 600-5

Other means of identification

Synonyms: No data available

Recommended use of the chemical and restrictions on use: Automotive detailing

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Chemical Manufacturer /  
Importer / Distributor: ITW Evercoat  
a division of Illinois Tool Works Inc.  
1275 Round Table Drive  
Dallas, TX 75247

Emergency phone number: CHEMTREC: 1-800-424-9300  
CANUTEC: 1-613-996-6666

## 2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;

GHS Hazard  
Symbols:



GHS Classification: Skin Corrosion/Irritation Category 1  
Serious Eye Damage/Eye Irritation Category 1  
Acute Toxicity - Inhalation Dust / Mist Category 2  
Acute Toxicity - Inhalation Vapour Category 2  
Acute Toxicity - Dermal Category 2  
Acute Toxicity - Oral Category 2

GHS Signal Word: Danger

GHS Hazard Statements: Fatal if swallowed, in contact with skin or if inhaled.  
Causes severe skin burns and eye damage.  
Fatal if inhaled.

# Safety Data Sheet

Product Name: Water Spot Remover 5 Gallon

Product identifier: 600-5

Revision Date: 08-19-2016

Replaces:

## GHS Precautionary Statements:

### Safety Precautions:

Do not breathe dust/fume/gas/mist/vapours/spray.  
Do not get in eyes, on skin, or on clothing.  
Wash thoroughly after handling.  
Do not eat, drink or smoke when using this product.  
Use only outdoors or in a well-ventilated area.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Wear respiratory protection.

### First Aid Measures:

IF SWALLOWED: Immediately call a POISON CENTER/doctor/....  
IF SWALLOWED: rinse mouth. Do NOT induce vomiting.  
IF ON SKIN: Wash with plenty of soap and water.  
IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing.  
Rinse skin with water/shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor  
Specific treatment is urgent (see on this label).  
Specific treatment (see on this label).  
Rinse mouth.

### Storage:

Wash contaminated clothing before reuse.  
Store in a well-ventilated place. Keep container tightly closed.  
Store locked up.

### Disposal:

Dispose of contents/container in accordance with local/regional/national/international regulation for hazardous wastes.

### Hazards not otherwise classified:

No data available

## 3. Composition/information on ingredients

| Chemical Component:             | CAS number and other unique identifiers | % (or range) of ingredient |
|---------------------------------|---|----------------------------|
| Orthophosphoric acid            | 7664-38-2                               | 10 - 30                    |
| Ethylene glycol monobutyl ether | 111-76-2                                | 1 - 5                      |
| hydrogen fluoride               | 7664-39-3                               | 1 - 5                      |

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

## 4. First-aid measures

Description of necessary measures, subdivided according to the different routes of exposure, i.e., inhalation, skin and eye contact, and ingestion:

# Safety Data Sheet

Product Name: Water Spot Remover 5 Gallon

Product identifier: 600-5

Revision Date: 08-19-2016

Replaces:

---

|                      |  |
|----------------------|--|
| <b>Eye Contact:</b>  | Immediately flush eyes with plenty of water for at least 20 minutes retracting eyelids often. This corrosive material can cause immediate and permanent eye damage. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Get immediate medical attention and monitor the eye daily as advised by your physician. |
| <b>Skin Contact:</b> | Wash with soap and water under a drench shower. Remove contaminated clothing, launder immediately, and discard contaminated leather goods. Get medical attention immediately.  |
| <b>Inhalation:</b>   | Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If not breathing, give artificial respiration and have a trained individual administer oxygen. Get medical attention immediately  |
| <b>Ingestion:</b>    | Corrosive. Do not induce vomiting! Drink one glass of water followed by milk if available. Seek medical attention immediately and give the medical care provider with this MSDS.   |

**Most important symptoms/effects, acute and delayed:**

**Most important symptoms/effects (Acute):** No data available

**Most important symptoms/effects (Delayed):** No data available

**Indication of immediate medical attention and special treatment needed, if necessary:** No additional first aid information available

|                                  |
|----------------------------------|
| <b>5. Fire-fighting measures</b> |
|----------------------------------|

**Suitable (and unsuitable) extinguishing media:**

**Suitable extinguishing media:** No data.

**Unsuitable extinguishing media:** No data available

**Specific hazards arising from the chemical (e.g., nature of any hazardous combustion products):**

**Fire and/or Explosion Hazards:** Vapors may form flammable/explosive mixture with air. Empty containers that retain product residue (liquid, solid/sludge, or vapor) can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose container to heat, flame, sparks, static electricity, or other sources of ignition. Any of these actions can potentially cause an explosion that may lead to injury or death. Container may explode in heat of fire.

**Hazardous Combustion Products:** Phosphorus compounds

**Special protective equipment** Will not burn, no special instructions available. Use methods

# Safety Data Sheet

Product Name: Water Spot Remover 5 Gallon

Product identifier: 600-5

Revision Date: 08-19-2016

Replaces:

and precautions for fire-fighters:

appropriate for surrounding materials.

## 6. Accidental release measures

**Personal precautions, protective equipment, and emergency procedures:**

Exposure to the spilled material may be severely irritating or toxic. Follow personal protective equipment recommendations found in Section VIII of this MSDS. Personal protective equipment needs must be evaluated based on information provided on this sheet and the special circumstances created by the spill including; the material spilled, the quantity of the spill, the area in which the spill occurred, and the expertise of employees in the area responding to the spill. Never exceed any occupational exposure limits.

**Methods and materials for containment and cleaning up:**

Prevent the spread of any spill to minimize harm to human health and the environment if safe to do so. Wear complete and proper personal protective equipment following the recommendation of Section VIII at a minimum. Dike with suitable absorbent material like granulated clay. Gather and store in a sealed container pending a waste disposal evaluation.

## 7. Handling and storage

**Precautions for safe handling:**

Toxic or severely irritating material. Avoid contacting and avoid breathing the material. Use only in a well ventilated area. As with all chemicals, good industrial hygiene practices should be followed when handling this material. Avoid contact with material, avoid breathing dusts or fumes, use only in a well ventilated area. Wash thoroughly after handling Do not get in eyes, on skin and clothing "Empty" containers retain product residue (liquid and/or vapor) and can be dangerous. Remove contaminated clothing and wash before reuse

**Conditions for safe storage, including any incompatibilities**

**Conditions for safe storage:**

Store in a cool dry place Store in a tightly closed container

**Materials to Avoid/Chemical Incompatibility:**

Strong oxidizing agents Strong alkalies Metals

# Safety Data Sheet

Product Name: Water Spot Remover 5 Gallon

Product identifier: 600-5

Revision Date: 08-19-2016

Replaces:

## 8. Exposure controls/personal protection

OSHA permissible exposure limit (PEL), American Conference of Governmental Industrial Hygienists (ACGIH) Threshold Limit Value (TLV), and any other exposure limit used or recommended by the chemical manufacturer, importer, or employer preparing the safety data sheet, where available:

| Chemical Component              | OSHA PEL            | ACGIH TLV-TWA       | ACGIH STEL               |
|---------------------------------|---------------------|---------------------|--------------------------|
| Orthophosphoric acid            | 1 mg/m <sup>3</sup> | 1 mg/m <sup>3</sup> | 3 mg/m <sup>3</sup> STEL |
| Ethylene glycol monobutyl ether | 50 ppm              | 20 ppm              | No data available        |

### Appropriate engineering controls:

Local exhaust ventilation, process enclosures, or other engineering controls are necessary when handling or using this product to avoid overexposure. Engineering controls must be designed to meet the OSHA chemical specific standard in 29 CFR 1910. Ventilation is required to maintain operator exposure below published exposure limits. Use process enclosures, local exhaust ventilation, or other engineering controls to control airborne levels below recommended exposure limits. Facilities storing or using this material should be equipped with an eyewash and safety shower.

### Individual protection measures, such as personal protective equipment:

#### Eye Protection:

Wear chemical splash goggles when handling this product. Additionally, wear a face shield when the possibility of splashing of liquid exists. Do not wear contact lenses. Have an eye wash station available. Wear goggles and a Face shield

#### Skin Protection:

Avoid skin contact by wearing chemically resistant gloves, an apron and other protective equipment depending upon conditions of use. Inspect gloves for chemical break-through and replace at regular intervals. Clean protective equipment regularly. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

#### Respiratory Protection:

Respiratory protection must be used when handling this product. Use respirators only if ventilation cannot be used to eliminate symptoms or reduce the exposure to below acceptable levels. A supplied air type respirator may be required. Follow a respiratory protection program that meets 29 CFR 1910.134 and ANSI Z88.2 requirements whenever work place conditions warrant the use of a respirator. Wear a NIOSH approved respirator if any exposure is possible.

#### Other Protective Equipment:

Wear goggles and a Face shield Where contact is likely, wear chemical resistant gloves, a chemical suit, rubber boots, and chemical safety goggles plus a face shield

# Safety Data Sheet

Product Name: Water Spot Remover 5 Gallon

Product identifier: 600-5

Revision Date: 08-19-2016

Replaces:

## 9. Physical and chemical properties

Appearance (physical state, color, etc.):

|   |                   |
|---|-------------------|
| Appearance (physical state):                  | Liquid            |
| Color:  | Clear             |
| Odor:   | Glycol ether      |
| Odor threshold:                               | No data available |
| pH:   | 1.5               |
| Melting Point/Freezing Point (°C):            | No data available |
| Initial Boiling Point and Boiling Range (°C): | 260               |
| Flash Point (°C):                             | No data available |
| Evaporation Rate:                             | No data available |
| Flammability (solid, gas):                    | No data available |
| Upper/lower flammability or explosive limits: |                   |
| Upper Flammable/Explosive Limit (%):          | No data available |
| Lower Flammable/Explosive Limit (%):          | No data available |
| Vapor Pressure:                               | No data available |
| Vapor Density:                                | No data available |
| Relative Density:                             | 1.14              |
| Solubility(ies):                              | Complete; 100%    |
| Partition coefficient: n-octanol/water:       | No data available |
| Auto-ignition Temperature (°C):               | No data available |
| Decomposition Temperature:                    | No data available |
| Viscosity:                                    | No data available |

## 10. Stability and reactivity

|  |  |
|--|--|
| Reactivity:  | No data available                              |
| Chemical stability:  | Stable under normal conditions.                |
| Possibility of hazardous reactions:                                | No data available                              |
| Conditions to avoid (e.g., static discharge, shock, or vibration): | Contamination                                  |
| Incompatible materials:  | Strong oxidizing agents Strong alkalies Metals |
| Hazardous decomposition products:                                  | Phosphorus compounds                           |

## 11. Toxicological information

# Safety Data Sheet

Product Name: Water Spot Remover 5 Gallon

Product identifier: 600-5

Revision Date: 08-19-2016

Replaces:

**Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact):** No data available

**Symptoms related to the physical, chemical and toxicological characteristics:** No data available

**Delayed and immediate effects and also chronic effects from short- and long-term exposure:**

**Immediate (Acute) Health Effects by Route of Exposure:**

**Inhalation Irritation:** Can be corrosive to the respiratory tract causing severe irritation and tissue damage.

**Inhalation Toxicity:** Toxic! Can cause systemic damage (see "Target Organs). Respiratory failure is possible at high doses.

**Skin Contact:** Corrosive to skin tissue. Can cause chemical burns.

**Skin Absorption:** No absorption hazard in normal industrial use.

**Eye Contact:** Corrosive to eye tissue. Can cause severe irritation, tearing, and burns that can quickly lead to permanent injury including blindness.

**Ingestion Irritation:** Corrosive to tissue. Can cause severe and permanent damage to mouth, throat, stomach. Aspiration may lead to lung damage.

**Ingestion Toxicity:** Toxic if swallowed. May cause target organ failure and/or death.

**Long-Term (Chronic) Health Effects:**

**Carcinogenicity:** None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA.

**Reproductive and Developmental Toxicity:** No data available to indicate product or any components present at greater than 0.1% may cause birth defects.

**Mutagenicity:** No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.

**Inhalation:** Upon prolonged and/or repeated exposure, can be corrosive to the respiratory tract causing severe irritation and tissue damage. Toxic! Can cause systemic damage upon prolonged and/or repeated exposure (see "Target Organs).

**Skin Contact:** Upon prolonged or repeated contact, corrosive to skin tissue. Can cause chemical burns.

**Skin Absorption:** Upon prolonged or repeated exposure, no hazard in normal industrial use.

**Numerical measures of toxicity (such as acute toxicity estimates)**

**Component Toxicology Data**

| Chemical Component              | Oral LD50                | Dermal LD50 | Inhalation LC50                     |
|---------------------------------|--------------------------|-------------|-------------------------------------|
| Orthophosphoric acid            | Oral LD50 Rat 1530 mg/kg |             |                                     |
| Ethylene glycol monobutyl ether | Oral LD50 Rat 470 mg/kg  |             | Inhalation LC50 (4h) Rat 2900 mg/m3 |

# Safety Data Sheet

Product Name: Water Spot Remover 5 Gallon

Product identifier: 600-5

Revision Date: 08-19-2016

Replaces:

Whether the hazardous chemical is listed in the National Toxicology Program (NTP) Report on Carcinogens (latest edition) or has been found to be a potential carcinogen in the International Agency for Research on Cancer (IARC) Monographs (latest edition), or by OSHA

| Chemical Name     | OSHA Carcinogen | IARC Carcinogen | NTP Carcinogen |
|-------------------|-----------------|-----------------|----------------|
| No data available | N               | N               | N              |

## 12. Ecological information

**Ecotoxicity (aquatic and terrestrial, where available):** This material is not expected to be harmful to the ecology.  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data  
**Mobility in soil:** No data available  
**Other adverse effects (such as hazardous to the ozone layer):** No data available

### Ecological Toxicity Data

| Chemical Component | Aquatic EC50 Crustacea | Aquatic ERC50 Algae | Aquatic LC50 Fish |
|--------------------|------------------------|---------------------|-------------------|
| No data available  |                        |                     |                   |

## 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

**Waste treatment methods (including packaging):** Dispose of in a landfill. Disposal is not likely to be regulated.

## 14. Transport information

**UN number:** No data available  
**UN proper shipping name:** Not Regulated  
**Transport hazard class(es):** No data available  
**Packing group:** No data available

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

## 15. Regulatory information

Safety, health and environmental regulations specific for the product in question

**TSCA Status:** All components in this product are on the TSCA Inventory.



# Safety Data Sheet

Product Name: Water Spot Remover 5 Gallon

Product identifier: 600-5

Revision Date: 08-19-2016

Replaces:

## Regulated Components

| Chemical Component   | CAS number and other unique identifiers | CERCLA | SARA EHS | SARA 313 | California Prop 65 |
|----------------------|---|--------|----------|----------|--------------------|
| Orthophosphoric acid | 7664-38-2                               | N      | N        | Y        | N                  |

## 16. Other information, including date of preparation or last revision.

Revision Date: 08-19-2016

Revision Number: 9

**Disclaimer:** NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances